

TEVO-DX10-1080 video conference room equipment



TEVO-DX10-1080 2.1 mega effective pixel, 1/2.9" HD color CMOS sensor, 1080P/30, video output (1920x1080). It ensures high definition, while focusing on meeting the needs of the screen fluency.

This camera is suitable for video capture desktop level of small to medium conference rooms and the collection of personal desktop video. It can be "seamless docking, Polycom PVX_8.0, Cisco WebEx series" and other video conferencing software, and other video call.

Main features:

USB2.0 interface	HD1080P	2.1 mega pixel
10X optical zoom	Pan: 0-360 °Tilt : +/-60 °	RS-232 , RS-422 , RS-485 , IR remote control

Product parameters:

Model No.	TEVO-DX10-1080	
Image Sensor	Sensor	1/2.9"HD color CMOS
	Effective pixel	3.1 mega pixel
	Min. illumination	Color,0.1 Lux Black/white:0.01 Lux
	White Balance	Auto/manual
	Gain control	Auto
	SN ratio	>50db
Lens	Focal length	f=5.0-50mm
	Aperture	Auto
	Zoom	10 X optical zoom
	Horizontal view angle	55.3 °
Video output	USB2.0	
Signal system	1080P/30	
Control terminal	USB , RS-232C , RS-485	
Control Protocol	VISCA , PELCO-D	
Baud rate	9600/38400bps	
Patrol line	1 cruise sequence	
Preset position	64 preset positions	
Image flip	Support Horizontal/Vertical image flip	
Pan movement speed	1-60 %S	
Tilt movement speed	1-60 %S	
Pan movement range	360 °Continuously rotate	
Tilt movement range	Up: 90 ° , Down: 30 °	
Pan scanning automatically	Support	
Remote controller	IR Wireless Remote controller P/T	
Power supply	DC12V ±10%,1.2A	
Work Temperature	0-50	
Work Humidity	0-95% RH	
Accessories	DC 12Vpower adaptor, IR remote control, manual, USB2.0 cable(5m),	

	Brackets & screws
Color	Black
Dimension(LXWXH)	124mm×120mm×145mm/220mm x 180mm x 225mm(before/after packing)
Weight	800g /1.54kg(before/after packing)

SZ Tenveo video technology co., LTD

Add.: Room511-514,Fengtian New tech building, North Xuegang Road, No.308, Longhua new dist. Baoan District, Shenzhen, CN.

Tel: 86-755-85261373

Fax: 86-755-85258499

Contact: Jane Zhang